

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S8	2	("6298424").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 14:05
S9	334	data adj holding adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:49
S10	28	data adj holding adj unit and data adj storage adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/13 15:34
S12	733	data adj transfer adj control adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:35
S13	0	data adj transfer adj control adj circuit and "710".ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/13 15:35
S15	1508	710/305.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:57
S16	34	710/305.ccls. and data adj transfer adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/13 15:48
S17	3	710/305.ccls. and data adj transfer adj control adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/13 15:37
S31	41	ryohei higuchi	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/14 08:03

S32	100	(data adj transfer adj control adj circuit) .ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:41
S33	2	(data adj transfer adj control adj circuit) .ti. and lsi .ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:37
S34	2	data adj holding adj unit and pre-read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:45
S35	2	data adj holding adj unit and pre-read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:51
S36	856	external adj device and bus adj master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 14:51
S37	3	external adj device and bus adj master and data adj hold\$ adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 08:41
S38	154615	"710"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/15 15:21
S39	8369	bus adj master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:32
S40	6224	bus adj master and address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:32
S41	6079	bus adj master and address and data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:32

S42	4156	bus adj master and address and data and storage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:33
S43	2746	bus adj master and address and data and storage and generate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:33
S44	2366	bus adj master and address and data and storage and generate and plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:33
S45	1845	bus adj master and address and data and storage and generate and plurality and external	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:34
S46	1093	bus adj master and address and data and storage and generate and plurality and external and shared	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:34
S47	824	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:36
S48	290	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single and address adj generat\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:47
S49	2	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single and address adj generat\$ and pre-read	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 09:38
S51	599	711/158.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 10:23
S52	25	711/158.ccls. and address adj generation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 11:21

S53	6	711/158.ccls. and data adj storage adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 11:47
S54	1	"6092186".PN.	USPAT; USOCR	OR	OFF	2005/07/19 08:34
S55	1	"6065099".PN.	USPAT; USOCR	OR	OFF	2005/07/18 11:28
S58	60	"711" and single adj storage adj unit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 11:49
S59	1	data adj trasfer adj control adj circuit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 12:46
S60	124	system adj large near2 scale adj integration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 12:47
S61	58	system adj large near2 scale adj integration.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 12:48
S62	649	((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:15
S63	650	((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:20
S64	175	((((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data) same address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:21
S65	97	(((((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data) same address\$4) same stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:27

S66	1519	710/305.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:24
S67	2038	710/3,52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:23
S68	3495	710/305.ccls. or 710/3,52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:24
S69	2039	(((((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data) same address\$4) same stor\$4) and 710/305.ccls. or 710/3,52.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/18 16:25
S71	7	(((((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data) same address\$4) same stor\$4) same readout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:07
S74	7	(((((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data) same address\$4) same stor\$4) and (710/305.ccls. or 710/3,52.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 09:47
S75	3	(readout near5 (based or depend\$4 or respons\$4) near5 (next near2 address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:41
S76	97	external adj device adj control adj unit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:42

S77	23	(external adj device adj control adj unit) and continuously	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:43
S78	1	(external adj device adj control adj unit) and continuously adj generate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:43
S79	3	(external adj device adj control adj unit) and continuously near3 (generate or produce or output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:46
S80	290	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single and address adj (generat\$ or produce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:47
S81	121	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single and address adj (generat\$ or produce) and "710"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:48
S82	19	bus adj master and address and data and storage and generate and plurality and external and shared and identif\$ and request and single and address adj (generat\$ or produce) and ((pre-read\$4) or (pre adj read\$4) or (read adj ahead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:53
S83	0	710/353.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:57
S84	317	710/53.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 10:57
S85	1	710/53.ccls. and ((pre-read\$4) or (pre adj read\$4) or (read adj ahead)) near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:45

S86	5	710/53.ccls. and (lookahead or look-ahead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:47
S87	50	710/53.ccls. and (read adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:48
S88	3	710/53.ccls. and (read adj request) and (readout or read-out)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:53
S89	90	(pre-read or preread) and address and (read adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:55
S90	68	((pre-read or preread) near5 data) and address and (read adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 13:55
S91	31	((pre-read or preread) near5 data) and address and (read adj request) and normal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:09
S94	19	((pre-read or preread) near5 data) and address and (read adj request) and normal and continuous\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:09
S95	12	((pre-read or preread) near5 data) and address and (read adj request) and normal and continuous\$2 and generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:11
S96	1	((pre-read or preread) near5 data) and address and (read adj request) and normal and continuous\$2 near2 generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:12
S97	7	((pre-read or preread) near5 data) and address and (read adj request) and normal and continuous\$2 same generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:19

S98	1	((pre-read or preread) adj instruction) and address and (read adj request) and normal and continuous\$2 same generat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:19
S99	1	((pre-read or preread) adj instruction) and address and (read adj request) and normal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:19
S100	1	((pre-read or preread) adj instruction) and address and (read adj request)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:26
S101	215	(generat\$3 or create or distribute or send or create) near3 (current or present) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:28
S102	1	(generat\$3 or create or distribute or send or create) near3 (current or present) adj address and (lookahead or look-ahead or future or predicted) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:30
S103	19	(current or present or normal) adj address same (lookahead or look-ahead or future or predicted) adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:34
S104	237	normal adj readout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:35
S105	2	address adj normal adj readout	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:35
S106	24	bus adj unoccupied	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:43
S107	7	bus adj unoccupied and store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:52

S10 8	7	bus adj unoccupied store store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 14:52
S10 9	2	bus adj unoccupied same store	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 15:03
S11 0	390	predicted adj address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 15:04
S11 1	265	predicted adj address and bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 15:04
S11 2	193	predicted adj address and bus and generate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 15:04
S11 3	1	predicted adj address and bus and generate and (preread or pre-read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/19 16:04
S11 9	13	(data adj read adj request) and ((preread or pre-read) adj data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/19 16:24
S12 0	221	address adj generator and device adj controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:13
S12 1	2	address adj generator and device adj controller and address and (preread or pre-read)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:08

S12 2	1521	710/305.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:13
S12 3	24	710/305.ccls. and address adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:17
S12 4	0	710/303.ccls. and address adj generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:17
S12 5	288	710/303.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:17
S12 6	11	710/303.ccls. and read adj request	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/20 13:18
S12 7	1	"6405289".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:43
S12 8	1	"6341337".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:45
S12 9	1	"6263415".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:46
S13 0	1	"6263405".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:47
S13 1	1	"6055650".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:47
S13 2	1	"5603005".PN.	USPAT; USOCR	OR	OFF	2005/07/21 08:48
S13 3	0	read adj request near "7" (preread or pre-read) adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/21 08:51

S13 4	5	read adj request near7 (preread or pre-read) adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/21 08:53
S13 5	17	read adj request same data adj (preread or pre-read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/21 08:54
S13 6	4	read adj request near7 data adj (preread or pre-read)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/21 08:54
S14 0	12	"5303354"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/21 12:36
S14 1	1	"6263405".PN.	USPAT; USOCR	OR	OFF	2005/07/21 12:42
S14 2	0	710/3.ccls. bus near2 master\$2 same address same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:07
S14 3	0	710/3.ccls. bus near2 master\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:07
S14 4	0	710/3.ccls. master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:07
S14 5	104	710/3.ccls. and master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:07
S14 6	70	710/3.ccls. and bus near3 master	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:07

S14 7	3	710/3.ccls. and bus near3 master same storage same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:10
S14 8	5	710/306.ccls. and bus near3 master same storage same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:11
S14 9	10	710/52.ccls. and bus near3 master same storage same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:13
S15 0	0	711/158.ccls. and bus near3 master same storage same address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/09/02 16:13